

Amendments To The Claims

1. (Withdrawn/Currently amended) A method for treating infertility in a mammal, comprising administering to a mammal suspected of infertility a therapeutically effective amount of a compound of claim 23.


2. (Canceled)

3. (Withdrawn/Currently amended) The method of claim 1, wherein R² is aryl[[,]] or heteroaryl.

4. (Withdrawn) The method of claim 1, wherein R⁴ is selected from C₁-C₆-alkyl, amino, aryl, heteroaryl, 3-8-membered cycloalkyl and heterocycloalkyl.

5. (Withdrawn/Currently amended) The method of treatment of claim 1, wherein R² is aryl; R³ is selected from C₁-C₈-alkyl, C₁-C₈-acyl amino and C₁-C₈-alkyl acyl and R⁴ is selected from C₁-C₆-alkyl, amino, aryl and heteroaryl.

6. (Withdrawn/Currently amended) The method of claim 1 wherein the compound has the following Formula II:



II

wherein R^5 is independently halogen[,] or hydroxy;

m is an integer of from 0 to $[[4]] \ 3$; and pharmaceutically acceptable salts thereof.

7. (Canceled)
8. (Canceled)
9. (Canceled)
10. (Canceled)
11. (Canceled)
12. (Canceled)

13. (Withdrawn) The method of claim 1 wherein R² comprises a carbazolyl, tetrahydro-beta-carbolinyl or benzimidazolyl moiety.

14. (Withdrawn/Currently amended) The method of claim 1 wherein the compound of formula I is selected from the following group:

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridinyl-3-yl-1H-benzimidazol-5-yl)-amide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)amide]-1-pentylamide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 1-ethylamide 3-[(9-ethyl-9H-carbazol-3-yl)amide];

4-pentanoyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl) amide;

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl) amide;

4-dimethylsulfamoyl-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)amide] 1-pentylamide;

4-(1-methyl-1H-imidazole-4-sulfonyl)-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)-amide] 1-pentylamide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 1-pentylamide 3-[(3-pyridin-4-yl-phenyl)-amide];

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)-amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl)-amide;

4-pentyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)amide;

4-(3-methylsulfanyl-propyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl)-amide;

4-(4-ethyl-furan-3-ylmethyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl)-amide;

3-(9-ethyl-9H-carbazol-3-ylcarbamoyl)-4-(thiophene-2-sulfonyl)-piperazin-1-yl] acetic acid ethyl ester;

1-benzenesulfonyl-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

4-pentyl-1-thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

4-hexyl-1-thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

1-(4-fluoro-benzenesulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

1-(2-fluoro-benzenesulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

4-octyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzimidazol-5-yl) amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzimidazol-5-yl) amide;

1-dimethylsulfamoyl-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

1-(butane-1-sulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide;

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzimidazol-5-yl) amide;

4-(3-methylsulfanyl-propyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzimidazol-5-yl) amide;

4-octyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide; and pharmaceutically acceptable salts thereof.

15. (Canceled)

16. (Withdrawn/Currently amended) The method of claim [[15]] 1 wherein the mammal is a human.

17. (Withdrawn) The method of claim 16 wherein the mammal is a female.

18. (Withdrawn) The method of claim 17 wherein the mammal is suffering from an ovulatory disorder.


19. (Withdrawn) The method of claim 17 wherein the mammal is being treated with an assisted reproduction procedure.

20. (Withdrawn) The method of claim 17 wherein the mammal is undergoing in-vitro fertilization.

21. (Withdrawn) The method of claim 16 wherein the mammal is a male.

22. (Withdrawn) The method of claim 17 wherein the mammal is a male suffering from a spermatogenesis disorder.

23. (Previously Presented) A compound according to Formula I:



wherein R¹ is H;

R² is selected from aryl, heteroaryl, 3-8-membered cycloalkyl and heterocycloalkyl;

R³ is selected from C₁-C₁₆-alkyl, C₂-C₁₆-alkenyl, C₂-C₁₆-alkynyl, monocyclic aryl, monocyclic heteroaryl, 3-8-membered monocyclic cycloalkyl, monocyclic heterocycloalkyl, acyl, C₁-C₁₆-alkyl aryl, C₁-C₁₆-alkyl heteroaryl, C₂-C₁₆-alkenyl aryl, C₂-C₁₆-alkenyl heteroaryl, C₂-C₁₆-alkynyl aryl, C₂-C₁₆-alkynyl heteroaryl, C₁-C₁₆-alkyl cycloalkyl, C₁-C₁₆-alkyl heterocycloalkyl, C₂-C₁₆-alkenyl cycloalkyl, C₂-C₁₆-alkenyl heterocycloalkyl, C₂-C₁₆-alkynyl cycloalkyl, C₂-C₁₆-alkynyl heterocycloalkyl, alkoxycarbonyl, aminocarbonyl, C₁-C₁₆-alkyl carboxy, C₁-C₁₆-alkyl acyl, aryl acyl, heteroaryl acyl, C₃-C₈-(hetero)cycloalkyl acyl, C₁-C₁₆-alkyl acyloxy, C₁-C₁₆-alkyl alkoxy, C₁-C₁₆-alkyl alkoxycarbonyl, C₁-C₁₆-alkyl aminocarbonyl, C₁-C₁₆-alkyl acylamino, acylamino, C₁-C₁₆-alkyl sulfinyl, C₁-C₁₆-alkyl sulfanyl, C₁-C₁₆-alkyl ureido, C₁-C₁₆-alkyl carbamate, C₁-C₁₆-alkyl amino, C₁-C₁₆-alkyl ammonium;

R⁴ is selected from C₁-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₂-C₁₂-alkynyl, aryl, heteroaryl, 3-8-membered cycloalkyl, heterocycloalkyl, and amino; and pharmaceutically acceptable salts thereof.

24. (Previously Presented) The compound of claim 23 wherein R² is aryl or heteroaryl.


25. (Previously Presented) The compound of claim 23, wherein R^4 is selected from C_1 - C_6 -alkyl, amino, aryl, heteroaryl, 3-8-membered cycloalkyl and heterocycloalkyl.

26. (Previously Presented) The compound of claim 23, wherein R^2 is aryl; R^3 is selected from C_1 - C_8 -alkyl, C_1 - C_8 -acyl amino and C_1 - C_8 -alkyl acyl and R^4 is selected from C_1 - C_6 -alkyl, amino, aryl and heteroaryl.

27. (Previously Presented) The compound of claim 23, wherein R^2 is fused phenyl.

28. (Previously Presented) The compound of claim 23, wherein R^4 is thienyl.

29. (Previously Presented) The compound of claim 23 having the following Formula II:



II

wherein

R^5 is independently halogen or hydroxy; m is an integer of from 0 to 3; and pharmaceutically acceptable salts thereof.

30. (Previously Presented) The compound of claim 23 wherein R² comprises a carbazoyl, tetrahydro-beta-carbolinyl or a benzimidazolyl moiety.

31. (Currently amended) The compound of claim 23 that is selected from the following group:

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridinyl-3-yl-1H-benzimidazol-5-yl)-amide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)amide]-1-pentylamide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 1-ethylamide 3-[(9-ethyl-9H-carbazol-3-yl)amide];

4-pentanoyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl) amide;

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl) amide;

4-dimethylsulfamoyl-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)amide] 1-pentylamide;

4-(1-methyl-1H-imidazole-4-sulfonyl)-piperazine-1,3-dicarboxylic acid 3-[(9-ethyl-9H-carbazol-3-yl)-amide] 1-pentylamide;

4-(thiophene-2-sulfonyl)-piperazine-1,3-dicarboxylic acid 1-pentylamide 3-[(3-pyridin-4-yl-phenyl)-amide];

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)-amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl)-amide;

4-pentyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-oxo-2,3,4,9-tetrahydro-1H-beta-carbolin-6-yl)amide;

4-(3-methylsulfanyl-propyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl)-amide;

4-(4-ethyl-furan-3-ylmethyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (9-ethyl-9H-carbazol-3-yl)-amide;

3-(9-ethyl-9H-carbazol-3-ylcarbamoyl)-4-(thiophene-2-sulfonyl)-piperazin-1-yl] acetic acid ethyl ester;

1-benzenesulfonyl-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

4-pentyl-1-thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

4-hexyl-1-thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

1-(4-fluoro-benzenesulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

1-(2-fluoro-benzenesulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

4-octyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzoimidazol-5-yl) amide;

4-heptyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzoimidazol-5-yl) amide;

1-dimethylsulfamoyl-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

1-(butane-1-sulfonyl)-4-hexyl-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-3-yl-1H-benzoimidazol-5-yl) amide;

4-hexyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzoimidazol-5-yl) amide;

4-(3-methylsulfanyl-propyl)-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid (1-ethyl-2-pyridin-4-yl-1H-benzoimidazol-5-yl) amide;

4-octyl-1-(thiophene-2-sulfonyl)-piperazine-2-carboxylic acid
(1-ethyl-2-pyridin-3-yl-1H-benzimidazol-5-yl) amide; and pharmaceutically acceptable salts thereof.

32. (Previously Presented) A pharmaceutical composition comprising the compound of claim 31.

33. (Canceled)

34. (Previously Presented) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and one or more compounds of claim 31.

35. (Original) A pharmaceutical composition of claim 34 wherein the compound is packaged together with instructions for use of the compound to treat infertility.

36. (Previously Presented) The compound of claim 29 wherein m is an integer of from 0 to 2.